



SOLO Trumpet II

Thank you for purchasing SOLO Trumpet II!

This **SOLO Trumpet II Kontakt Library** was recorded using two microphones (**A** – large diaphragm with a cardioid pattern and **B** – ribbon mic with a figure eight pattern). CMusicpro's engineers, by means of these unique pairings, have produced a carefully-crafted finished product combining the condenser's smooth, natural complexity with the ribbon's extreme sensitivity. The large-diaphragm condenser signals were then summed, and the combined resultant tonal qualities were found to smooth the occasional harsh highs often produced by brass instruments. The end result is a clean clear high end. Additionally, this process enabled a truly mono-capable signal to be produced. Complete balance adjustments between **A** and **B** components are possible. Meticulous production techniques, combined with multiple articulations create the impression of a realistic live performance.

Trumpet performed by: Oleg Pascal

Recording & Editing: Vladimir Kuznetsov

Programming, Design & Script: Vladimir Kuznetsov

© 2017 Cmusic Production, LLC / All Rights Reserved,
Cmusic Production®

Watermark Protected.

C MUSIC production

Features

- Legato, Portamento, Glissando Velocity control
- 3-x round robin sustain non vibrato for each note (5 layers)
- 3-x round robin sustain vibrato for each note (5 layers)
- 3-x round robin staccato (4 layers)
- 3-x round robin marcato short and long (4 layers)
- 2/4 and 4/4 tempo sync swells (120 bpm default, 2 layers)
- Rips chromatic short, medium and long (3 layers)
- Rips glissando short, medium and long (3 layers)
- Trills HT, Trills WT, Flutter, Growl, Sliders, Ends and Shake
- Fast trills between notes in octave range
- 2.65 GB on disc, 4 772 samples, 44.1 KHz / 24-bit

Installation Notes

1. Please go to the download links you received after purchase and download all of the files.
2. Make sure you put all downloaded files into a single folder.
3. Unpack the downloaded files to any folder. Please note that the sample files you downloaded are a multi-part archive, so you do not need to extract every file; you only need to extract the first file that contains 'part1' in its name.
To extract your files we recommend using Winrar for PC users, or UnrarX or Rar-Expander for the Mac.
4. You need to have the full retail version of Kontakt 5.0 or later to use this library. **The free Kontakt Player does NOT support this library.**
5. Open the Kontakt 5 browser (look on the left-hand side of the Kontakt user interface) and click the "Files" tab. Find the library folder, which you extracted earlier, and double-click on the **SOLO Trumpet 2.nki** file which should be in that folder. You can use the Quick-Build Database option to allow Kontakt to find and store the location for faster browsing and loading.

You cannot use the "Libraries" tab to "Add Library" for this product. That feature is only available for encoded & locked "Powered-By-Kontakt" libraries.

Watch a video to learn how to add to Kontakt Quick-Load menu:

<https://www.youtube.com/watch?v=4USeGpi9EnM>.


LEGATO

Use **C0** keyswitch to play **Legato** (Velocity 0 – 63)

Default play: Glissando (Vel 0 – 10), Portamento (Vel 11 – 63),

Legato (Vel 64 – 127)

Change Value



To change **Glissando Speed** use the controller **CC5**.

Press keyswitch **D1** (Velocity 101 – 127) to change Legato Speed value.

SUSTAIN (Polyphonic)

Use **C0** keyswitch to play **Sustain** (Velocity 64 – 127)

Dynamics

To control the dynamics between layers use the controller ModWheel **CC1**.

LoPass filter is connected to the controller Expression **CC11** to control the sound dynamics.

Attack

Attack depends on the velocity. There are three modes of attack:

If “Staccato” Articulation loads, Attack is working.

Hot Keys:

- F#0** – Natural Vibrato
- G0** – Flutter (Velocity 0 – 63)
- G0** – Growl (Velocity 64 – 127)
- A#0** – Sliders + Sustain (Velocity 0 – 63)
- B0** – Ends

Vibrato

To control sound between non vibrato and natural vibrato use the controller **CC2** (or Hot Key **F#0**).

Use Sustain Pedal (**CC64**) to control sound between non vibrato and **LFO** vibrato – Sustain, Marcato, Diminuendo.

Fade In LFO vibrato – **CC17** (from 0 to 660 ms)

Intensity LFO vibrato – **CC18**

Frequency LFO vibrato – **CC19**

ARTICULATIONS

Staccato

Use **C#0** keyswitch to play **Staccato**

Marcato

Use **D0** keyswitch to play **Marcato**:

Short Marcato – Velocity (0 – 63)

Long Marcato – Velocity (64 – 127)

Swells

Use **D#0** keyswitch to play **Swells**:

Short Swells – Velocity (0 – 63)

Long Swells – Velocity (64 – 127)

Rips A

Use **E0** keyswitch to play **Rips A** (Chromatic):

Short Rips – Velocity (0 – 41)

Medium Rips – Velocity (42 – 83)

Long Rips – Velocity (84 – 127)

Rips B

Use **F0** keyswitch to play **Rips B** (Glissando):

Short Rips – Velocity (0 – 41)

Medium Rips – Velocity (42 – 83)

Long Rips – Velocity (84 – 127)

Trills HT

Use **G#0** keyswitch to play **Trills HT** natural.

Trills WT

Use **A0** keyswitch to play **Trills WT** natural.

Fast Trills

Play another Key without releasing the First Key in Legato mode.

MUSIC production

Sliders & Stop

Use **A#0** keyswitch to play **Sliders & Stop** (Velocity 64 – 127)

Gliss Up & Shake

Use **C1** keyswitch to play **Gliss Up A** (Velocity 0 – 41)

Use **C1** keyswitch to play **Gliss Up B** (Velocity 42 – 83)


Use **C1** keyswitch to play **Shake** (Velocity 84 – 127)

Load/Unload articulation samples with the yellow-black buttons:



Load/Unload

Legato, Portamento, Glissando samples with the menu:



Dyn.Range regulates volume difference between legato layers (pp – ff):



Vel.Range regulates volume difference between articulation layers (pp – ff):



Balance between A–B microphones:



Humanize on-off (Use **D1** Key).
Turn on **D1** key (Velocity 1 – 100) to change the value of humanization.



EQ and Filters on-off

MUSIC production

Mutes

Use the switch to change the type of mute.



Convolution Reverb

Turn on Convolution Reverb, select the preset, the balance between DRY and WET signals and PreDelay.



Ambience

Turn on Ambience and select the preset.

